



*“We buy capillary tubes that have a unique filament inside them from Jaytec Glass (was Bilbate). No one else makes these and they are exactly what our client requires for improved blood collection. Jaytec are super to deal with and we definitely recommend them. They also provide custom designed Pasteur Pipettes for us.”*

Owner, **European Distributor**

*“Jaytec are an extremely good company to work with — we get great service. They supply two sizes of capillary tubes for us to use as an accessory with our equipment and the product has been perfect. Highly recommended.”*

Adie Cleaver, MD, **Cleaver Scientific**



## Jaytec Glass Limited

Volumetric and Laboratory Glass

**Catalogue and Price List  
2012**



*Specialists in calibrated scientific glassware*



## Contents

<b>Welcome</b> .....	<b>2</b>	<b>Industry Glassware</b> .....	<b>24–26</b>
Why use Jaytec Glass? .....	2	Sugar Flasks .....	24
Custom Glassware .....	2	Brewers Mash Flasks .....	24
How to Order .....	2	Schopper Reigler Jars .....	24
About Us .....	2	Gammon Morgan Cylinders .....	24
<b>General Volumetric Glassware</b> .....	<b>3–17</b>	Thistle Funnels .....	24
Measuring Cylinders .....	3–4	Beakers, Low Form .....	25
Hydrometer Jars .....	4	Stirring rods .....	25
Volumetric Flasks .....	5–6	Gas Test Burettes .....	25
Burettes .....	6–11	Gas Sampling Tubes .....	26
Automatic Burettes .....	11	Wash Bottles, Arnold .....	26
Pipettes .....	12–14	<b>Metrology Glassware</b> .....	<b>27–28</b>
Bulb Pipettes .....	12	Average System Measures .....	27
Measuring Pipettes .....	13–14	Optic Measures .....	28
Separating Funnels .....	15	Trading Standard Test Measures .....	28
Dropping Funnels .....	16–17	<b>Pharmacy Measures</b> .....	<b>29–30</b>
<b>Milk &amp; Dairy Products</b> .....	<b>18–20</b>	Conical Measures .....	29
Milk & Cream Pipettes .....	18	Cylinder Measures .....	29
Mojonnier Pipettes .....	18	Bell Measures .....	30
Mojonnier Flasks .....	18	Beaker Measures .....	30
Reductase Tubes .....	19	<b>Educational Glassware</b> .....	<b>31</b>
Solubility Index Tubes .....	19	Ganongs Respirometers .....	31
Creamline Tubes .....	19	Gas Measuring Tubes .....	31
Babcock Bottles .....	19	Hoffman Voltameter Apparatus .....	31
Cream Weighing Funnels .....	20	Gas Burrettes, Complete .....	31
Butyrometers .....	20	<b>Rain Gauge Measures</b> .....	<b>32</b>
Butyrometers, Irish Standards .....	20	<b>Capillaries</b> .....	<b>33–35</b>
<b>Oil Test Glassware</b> .....	<b>21–23</b>	<b>Pasteur Pipettes</b> .....	<b>36–37</b>
Distillate Receivers .....	21	<b>Dropping Pipettes</b> .....	<b>38–39</b>
Centrifuge Tubes .....	21	<b>Microscope Slides, Cover Circles     and Slips</b> .....	<b>40</b>
Sulphonation Flasks .....	21	<b>General Information</b> .....	<b>41</b>
Flasks with Graduated Necks .....	22	<b>Conditions of Sale</b> .....	<b>42–43</b>
Dean & Stark Receivers .....	22	<b>Index by Product Name</b> .....	<b>44</b>
Density Bottles/Pyknometers .....	23		



**Specialists in calibrated scientific glassware**

## **Catalogue and Price List**

Effective from 4th of January 2012

## **Jaytec Glass Limited**

Volumetric and Laboratory  
Glassware Manufacturers

Jaytec House, Burgess Lane,  
Ivyhouse Lane Industrial Estate,  
Hastings, East Sussex TN35 4NR  
United Kingdom

**An ISO 9001 Approved Company**

## **Welcome**

Jaytec Glass can help your business with standard and custom glassware. Our customers particularly value our expertise in scientific glass blowing and volumetric glassware calibration.

## **Why use Jaytec Glass?**

You can benefit from our unbeatable combination of products, services and skills.

- No minimum orders
- Short lead times and competitive prices because we control the whole production process in-house
- Friendly, knowledgeable team that understands your requirements
- Calibration of glassware — new and existing items to any international standard with certificates of accuracy

Plus, Jaytec glass offers a free *Lab Glassware Savings Review* — we visit your laboratory to identify any potential cost savings that could be made with standard and custom lab glass.

Please contact us today to find out how we can help your business.

## **Custom Glassware**

Many clients reduce the time and costs of their processes by using custom laboratory glassware. See our web site for examples and case studies. We can manufacture any laboratory glass or other calibrated glassware product to your specification. It may be a slight variation on a standard item or a tailored custom glass solution for your business.

## **How to Order**

Please use one of the following methods:

Telephone: +44 (0)1424 424181

Fax: +44 (0)1424 721224

Email: [enquiries@jaytecglass.co.uk](mailto:enquiries@jaytecglass.co.uk)

Online Shop: [www.jaytecglass.co.uk](http://www.jaytecglass.co.uk)

## **About Us**

Jaytec Glass has earned its reputation as a leading manufacturer and supplier of standard and custom scientific glassware. We have over 60 years experience in volumetric glassware calibration and scientific glass blowing. We are based in Hastings, East Sussex in the UK. We serve customers in the UK and across the world.

All of our customers benefit from prompt delivery, consistent quality and competitive prices with no minimum orders. This is because Jaytec Glass, unlike many other manufacturers, still maintains control of the whole production process. All key processes are carried out in-house; this includes graphic design, screen manufacture, glass blowing, calibration and etching. We also stock key components to improve turnaround time.

## MEASURING CYLINDERS

Measuring cylinders are used for measuring volumes of mobile liquids. For viscous liquids or semi-solids a conical measure is easier to use. There are a variety of types and styles of measuring cylinder.


For basic measurement of liquids in qualitative work a Class B cylinder is sufficient. For more accurate measurement of liquid a Class A cylinder is appropriate. These are calibrated to half the tolerance of Class B cylinders and each has a unique serial number for traceability. A certificate of accuracy traceable to national standards can be provided if required. Class A cylinders are used in analytical labs, quantitative labs, and other controlled environments. They are not suitable for work which requires accuracy of less than 1%. For this a bulb pipette (0.2%) or a gravimetric method (0.0001%+) should be used.

Stoppered cylinders are used for making up solutions where it is important to homogenize the liquid by shaking. They are also useful for measuring volatile solvents where significant evaporation might occur if the liquid is exposed to air.

### Class B Spout Cylinders

Manufactured in accordance with BS EN ISO 4788:2005 out of borosilicate or soda glass.


Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
WJ.100	5	0.1	0.1	£ 3.70
CMS01D	10	0.1	0.1	3.70
WJ.101	10	0.2	0.2	3.70
WJ.102	25	0.5	0.5	3.78
WJ.103	50	1.0	1.0	3.86
WJ.104	100	1.0	1.0	4.49
WJ.106	250	2.0	2.0	8.22
WJ.107	500	5.0	5.0	12.92
WJ.108	1000	10.0	10.0	21.54
WJ.109	2000	20.0	20.0	38.36



### Class A Spout Cylinders

Manufactured in accordance with BS EN ISO 4788:2005 out of borosilicate or soda glass.

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
BJ.141	5	0.1	0.05	£ 7.70
BJ.142	10	0.2	0.1	7.70
BJ.143	25	0.5	0.2	7.70
BJ.144	50	1.0	0.4	8.50
BJ.145	100	1.0	0.5	9.98
BJ.146	250	2.0	1.0	14.87
BJ.147	500	5.0	2.0	20.40
BJ.148	1000	10.0	4.0	26.09
BJ.149	2000	20.0	8.0	49.08
CT.900	Works Certificate of Accuracy			13.74




**Government stamped Cylinder Measures now available on Page 29**

**Class B Stopped Cylinders**

Manufactured in accordance with BS EN ISO 4788:2005 out of borosilicate or soda glass.


Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Neck Size	Price Each
WJ.118	5	0.1	0.1	10/13	£ 5.68
WJ.119	10	0.2	0.2	10/13	5.68
WJ.120	25	0.5	0.5	14/15	5.98
WJ.121	50	1.0	1.0	19/17	7.19
WJ.122	100	1.0	1.0	19/17	8.09
WJ.123	250	2.0	2.0	24/20	15.84
WJ.124	500	5.0	5.0	24/20	29.63
WJ.125	1000	10.0	10.0	29/32	40.37
WJ.126	2000	20.0	20.0	34/35	65.04



**Class A Stopped Cylinders**

Manufactured in accordance with BS EN ISO 4788:2005 out of borosilicate or soda glass.


Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Neck Size	Price Each
BJ.150	5	0.1	0.05	10/13	£ 8.61
BJ.151	10	0.2	0.1	10/13	8.61
BJ.152	25	0.5	0.25	14/15	8.61
BJ.153	50	1.0	0.5	19/17	9.51
BJ.154	100	1.0	0.5	19/17	11.69
BJ.155	250	2.0	1.0	24/20	19.28
BJ.156	500	5.0	2.5	24/20	35.36
BJ.157	1000	10.0	5.0	29/32	46.09
BJ.158	2000	20.0	10.0	34/35	75.35



**HYDROMETER JARS**

Manufactured out of borosilicate glass

Product Code	Dimensions in mm	Dimensions in inches	Price Each
WJ.848	150 x 38	6 x 1.5	£ 4.73
WJ.849	200 x 38	8 x 1.5	4.90
WJ.850	250 x 38	10 x 1.5	5.10
WJ.851	200 x 50	8 x 2	10.20
WJ.852	250 x 50	10 x 2	10.60
WJ.853	300 x 50	12 x 2	11.31
WJ.854	390 x 50	15.5 x 2	12.09
WJ.855	330 x 63	13 x 2.5	19.39
WJ.856	380 x 63	15 x 2.5	21.03
JHK430	430 x 63	17 x 2.5	22.22
JHK320	320 x 80	12.5 x 3	24.12



## VOLUMETRIC FLASKS

Volumetric Flasks are used for making up solutions to a fixed volume. There are a variety of types and styles of volumetric flasks. Volumetric flask accuracy is listed in the tables below. Custom size volumetric flasks are available on request.

### Class B Volumetric Flasks

Manufactured in accordance with BS EN ISO 1042:2000 out of borosilicate glass with polypropylene stopper.


Product Code	Capacity ml	Tolerance $\pm$ ml	Neck Size	Price Each
WJ.159	5	0.05	10/13	£ 4.41
WJ.160	10	0.05	10/13	4.41
WJ.161	20	0.08	10/13	5.20
WJ.162	25	0.08	10/13	5.20
WJ.163	50	0.12	12/14	5.42
WJ.164	100	0.20	12/14	7.34
WJ.165	200	0.30	14/15	10.57
WJ.166	250	0.30	14/15	10.57
WJ.169	500	0.50	19/17	13.77
WJ.170	1000	0.80	24/20	18.46
WJ.171	2000	1.20	24/20	34.00
WJ.172	5000	2.40	34/35	101.96

### Class A Volumetric Flasks

Manufactured in accordance with BS EN ISO 1042:2000 out of borosilicate glass with polypropylene stopper.

Product Code	Capacity ml	Tolerance $\pm$ ml	Neck Size	Price Each
JV.185	1	0.025	10/13	£ 4.85
JV.186	2	0.025	10/13	4.85
JV.187	5	0.025	10/13	4.85
JV.188	10	0.025	10/13	4.85
JV.189	20	0.04	10/13	5.58
JV.190	25	0.04	10/13	5.58
JV.191	50	0.06	12/14	5.87
JV.192	100	0.10	12/14	7.92
JV.193	200	0.15	14/15	11.23
JV.194	250	0.15	14/15	11.23
JV.195	500	0.25	19/17	15.47
JV.196	1000	0.40	24/20	20.53
JV.197	2000	0.60	24/20	36.65
JV.198	5000	1.20	34/35	114.71
CT.902	Works Certificate of Accuracy			10.90


Also available: Plain Brim version with the suffix PB. Prices on request



**Class A Volumetric Flasks, Amberised**

Manufactured in accordance with BS EN ISO 1042:2000 out of borosilicate glass with polypropylene stopper.

Product Code	Capacity ml	Tolerance $\pm$ ml	Neck Size	Price Each
JS.250	5	0.025	10/13	£ 11.97
JS.251	10	0.025	10/13	11.97
JS.252	20	0.04	10/13	11.51
JS.253	25	0.04	10/13	11.51
JS.254	50	0.06	12/14	12.45
JS.256	100	0.10	12/14	14.28
JS.257	200	0.15	14/15	22.39
JS.258	250	0.15	14/15	22.39
JS.259	500	0.25	19/17	26.62
JS.260	1000	0.40	24/20	36.41
JS.261	2000	0.60	24/20	69.45
JS.262	5000	1.20	34/35	178.61
CT.902	Works Certificate of Accuracy			10.90

**BURETTES**


Burettes are used for titrations: a known quantity of substrate is measured into a flask, and the titrant is added slowly from the burette until the end point is reached and the volume is recorded. An indicator is often used to make the end point visible. There are many different types of titration, but they are usually either acid-base or redox reactions.

**Burettes, Class B One Way, Glass Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005 out of borosilicate glass, with interchangeable glass key stopcocks, conforming to BS 1751.

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
WJ.252	1	0.01	0.01	£ 21.02
WJ.253	2	0.01	0.02	21.02
WJ.254	5	0.02	0.02	21.02
WJ.255	10	0.02	0.05	21.78
WJ.256	10	0.05	0.05	21.02
WJ.257	25	0.05	0.05	21.86
WJ.258	25	0.10	0.10	21.02
†WJ.259	30	0.10	0.10	21.02
WJ.260	50	0.10	0.10	21.02
WJ.261	100	0.20	0.20	22.08

† Denotes this size is not listed in the British Standard



**Burettes, Class B One Way, PTFE Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable PTFE key stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
WJ.262	10	0.02	0.05	£ 27.83
WJ.263	10	0.05	0.05	27.83
WJ.264	25	0.05	0.05	27.83
WJ.265	25	0.10	0.10	26.91
WJ.266	50	0.10	0.10	26.91
WJ.267	100	0.20	0.20	27.97

† Denotes this size is not listed in the British Standard

**Burettes, Class B Two Way, Glass Key Stopcocks**



Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable glass key stopcocks, conforming to BS 1751.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
WJ.268	10	0.02	0.05	£ 71.99
WJ.269	10	0.05	0.05	71.99
WJ.270	25	0.05	0.05	71.99
WJ.271	25	0.10	0.10	71.99
WJ.272	50	0.10	0.10	71.99
WJ.273	100	0.20	0.20	73.68

**Burettes, Class B Two Way, PTFE Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable PTFE key stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
WJ.274	10	0.02	0.05	£ 74.11
WJ.275	10	0.05	0.05	74.11
WJ.276	25	0.05	0.05	74.11
WJ.277	25	0.10	0.10	74.11
WJ.278	50	0.10	0.10	74.11
WJ.279	100	0.20	0.20	76.23



**Burettes, Class B Pinch Clip Type**

Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass. These Burettes come complete with a Samco Pinch Clip and Jet.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
WJ.280	10	0.05	0.05	£ 12.25
WJ.281	25	0.10	0.10	12.25
WJ.282	50	0.10	0.10	12.25
WJ.283	100	0.20	0.20	13.41

Spares


Product Code	Description	Price Each
AN.288	Samco Clip with Jet and Rubber	£ 3.25
AN.289	Mohrs Clip with Jet and Rubber	4.93



**Burettes, Class A One Way, Glass Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005 out of borosilicate glass, with interchangeable glass key stopcocks, conforming to BS 1751.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
BJ.318	10	0.02	0.02	£ 42.68
BJ.319	10	0.05	0.03	28.14
BJ.320	25	0.05	0.03	43.26
BJ.321	25	0.10	0.05	33.94
BJ.323	50	0.10	0.05	36.47
BJ.324	100	0.20	0.10	45.73
CT.908	Works Certificate of Accuracy			13.74



**Burettes, Class A One Way, PTFE Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable PTFE key stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
BJ.325	10	0.02	0.02	£ 48.67
BJ.326	10	0.05	0.03	34.90
BJ.327	25	0.05	0.03	48.01
BJ.328	25	0.10	0.05	41.92
BJ.329	50	0.10	0.05	42.38
BJ.330	100	0.20	0.10	47.28
CT.908	Works Certificate of Accuracy			13.74

**Burettes, Class A Two Way, Glass Key Stopcocks**


Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable glass key stopcocks, conforming to BS 1751.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
BJ.331	10	0.02	0.02	£ 75.26
BJ.332	25	0.05	0.03	75.26
BJ.333	25	0.10	0.05	75.26
BJ.334	50	0.10	0.05	75.26
BJ.335	100	0.20	0.10	76.32

**Burettes, Class A Two Way, PTFE Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable glass key stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
BJ.336	10	0.02	0.02	£ 90.53
BJ.337	25	0.05	0.03	90.53
BJ.338	25	0.10	0.05	84.42
BJ.339	50	0.10	0.05	85.39
BJ.340	100	0.20	0.10	89.36



**Burettes, Class B One Way, All PTFE Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable all PTFE stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
WJ.955	10	0.02	0.05	£ 22.35
WJ.956	10	0.05	0.05	18.57
WJ.957	25	0.05	0.05	24.12
WJ.958	25	0.10	0.10	18.57
WJ.959	50	0.10	0.10	18.57
WJ.960	100	0.20	0.20	24.03
WJ.961*	50	0.10	0.10	24.76

\* With enamel back

**Burettes, Class A One Way, All PTFE Key Stopcocks**

Manufactured in accordance with BS EN ISO 385: 2005. Precision bore borosilicate glass, with interchangeable all PTFE stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
BJ.961	10	0.02	0.02	£ 40.74
BJ.962	10	0.05	0.03	37.55
BJ.963	25	0.05	0.03	37.55
BJ.964	25	0.10	0.05	34.37
BJ.965	50	0.10	0.05	36.92
BJ.966	100	0.20	0.10	44.86
CT.908	Works Certificate of Accuracy			13.74




**Burettes, Classes A and B, Spares**

Class B, manufactured out of borosilicate glass, graduated stem only

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
WJ.967	10	0.02	0.05	£ 15.09
WJ.968	10	0.05	0.05	11.76
WJ.969	25	0.05	0.05	15.09
WJ.970	25	0.10	0.10	11.76
WJ.971	50	0.10	0.10	11.76
WJ.972	100	0.20	0.20	13.89


Class A, manufactured out of borosilicate glass, graduated stem only

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
BJ.973	10	0.02	0.02	£ 20.79
BJ.974	10	0.05	0.03	20.79
BJ.975	25	0.05	0.03	20.79
BJ.976	25	0.10	0.05	20.79
BJ.977	50	0.10	0.05	20.79
BJ.978	100	0.20	0.10	23.19



**Stopcocks and Accessories**

Product Code	Description	Price Each
WJ.920	Stopcock complete with Drawn Jet	£ 12.59
WJ.923	Holding Collars, Black, pack of 10	12.49
WJ.924	Key retaining "O" Rings, pack of 10	12.49
WJ.925	Screw Lock Nuts, pack of 10	12.49
LK.926	Black Spanners, pack of 10	13.88
GJ.927	Glass Jets, pack of 5	8.49



**Burettes, Dispensing, One Way, Glass Key Stopcocks**

Manufactured out of borosilicate glass, with interchangeable glass key stopcocks, conforming to BS 1751.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
WJ.341	250	1.0	0.60	£ 40.98
WJ.342	250	2.0	0.60	40.26
WJ.343	500	2.0	1.00	50.76
WJ.344	500	5.0	1.00	50.76
WJ.345	1000	5.0	5.00	104.71
WJ.346	1000	10.0	5.00	101.68



## AUTOMATIC BURETTES

Automatic Burettes are used for multiple titrations or in cases where the titrant should not be handled. Please enquire for further details

### Burettes, Daffert Type, Auto Zero

Manufactured out of borosilicate glass with interchangeable PTFE stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
WJ.351	25	0.10	0.10	£ 129.82
WJ.352	50	0.10	0.10	129.82
WJ.353	100	0.20	0.20	133.00

### Burette, Daffert Type, Auto Zero, Schellbach

Manufactured out of borosilicate glass with interchangeable PTFE stopcocks.

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
WJ.354	25	0.10	0.10	£ 134.06
WJ.355	50	0.10	0.10	134.06
WJ.356	100	0.20	0.20	137.25

### Burettes, Sofnol Type, Auto Zero

Complete Assemblies

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
WJ.366	10	0.10	0.10	£ 33.99
WJ.367	20	0.10	0.10	42.13
WJ.368	25	0.10	0.10	43.28

### Burettes, Sofnol Type, Auto Zero

Manufactured out of borosilicate glass, burette only.

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
WJ.360	10	0.10	0.10	£ 18.40
WJ.361	20	0.10	0.10	26.57
WJ.362	25	0.10	0.10	27.70



### Burettes, Sofnol Type, Auto Zero, Amberised

Manufactured out of borosilicate glass, amberised, burette only — no clips

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
WJ.363	10	0.10	0.10	£ 31.92
WJ.364	20	0.10	0.10	43.98
WJ.365	25	0.10	0.10	45.00

### Spares

Product Code	Description	Price Each
AN.312	Glass Jet, pack of 5	£ 7.06
AN.288	Samco Clip and Jet Rubber	3.25
AN.366	Plastic Bottle, 500 ml	5.28
AN.367	Plastic Bottle, 1000 ml	7.49



## BULB PIPETTES


Bulb pipettes are used for dispensing a known volume of aqueous liquid.

### Bulb Pipettes, Class B

Manufactured in accordance with BS EN ISO 648:2008 out of borosilicate or soda glass.

Product Code	Capacity ml	Tolerance ± ml	Flow Time Seconds	Price Each
WJ.401	0.5	0.010	4-20	£ 2.64
†WJ.402	1	0.015	5-20	2.36
†WJ.403	2	0.020	5-20	2.64
WJ.404	1	0.015	5-20	2.64
WJ.405	2	0.020	5-25	2.64
†WJ.406	3	0.030	5-25	2.75
†WJ.407	4	0.030	5-25	2.75
WJ.408	5	0.030	7-30	2.75
WJ.409	10	0.040	8-40	2.85
†WJ.410	15	0.050	8-40	4.01
WJ.411	20	0.060	9-40	4.31
WJ.412	25	0.060	10-50	4.44
WJ.413	50	0.100	13-60	5.30
WJ.414	100	0.150	25-60	8.11

† Denotes this size is not listed in the British Standard •Straight, no bulb




### Bulb Pipettes, Class A

Manufactured in accordance with BS EN ISO 648:2008 out of in borosilicate or soda glass.

Product Code	Capacity ml	Tolerance ± ml	Flow Time Seconds	Price Each
BJ.452	1	0.008	10-20	£ 6.73
BJ.453	2	0.010	10-25	6.73
†BJ.433	2.5	0.015	10-25	14.94
†BJ.454	3	0.015	10-25	7.49
†BJ.455	4	0.015	10-25	7.49
BJ.456	5	0.015	15-30	7.49
†BJ.434	6.0	0.020	15-30	26.60
†BJ.435	7.0	0.020	15-30	26.60
†BJ.436	8.0	0.020	15-30	30.05
†BJ.437	9.0	0.020	15-30	29.65
BJ.457	10	0.020	15-40	7.99
†BJ.438	11	0.025	15-40	31.24
†BJ.439	12	0.025	15-40	31.57
†BJ.458	15	0.025	15-40	8.51
†BJ.465	16	0.025	15-40	34.91
BJ.459	20	0.030	25-50	8.68
BJ.460	25	0.030	25-50	9.13
†BJ.440	30	0.040	25-50	32.61
†BJ.441	35	0.040	25-50	34.32
†BJ.442	40	0.040	25-50	37.76
†BJ.443	45	0.040	25-50	43.34
BJ.461	50	0.050	30-60	10.45
†BJ.444	80	0.060	40-60	64.33
BJ.462	100	0.080	40-60	12.34
†BJ.445	200	0.100	50-70	116.68
CT.904	Works Certificate of Accuracy			10.69

† Denotes this size is not listed in the British Standard



## MEASURING PIPETTES

Measuring pipettes are used for dispensing a variable volume of aqueous liquid. Pipettes are calibrated with distilled water. They can be used with non-aqueous liquids but they will not be as accurate. The form of the meniscus and the wetted volume remaining in the pipette will be different for other solvents.

### Measuring Pipettes, Class B, Type 1

Manufactured in accordance with BS EN ISO 835:2007 out of soda glass.

Zero at top — total capacity marked at shoulder.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
WJ.483	1	0.01	0.01	2-10	£ 2.09
WJ.484	2	0.02	0.02	2-12	2.09
WJ.485	5	0.05	0.05	5-14	2.09
WJ.486	10	0.10	0.10	5-17	2.40
WJ.487	25	0.20	0.20	9-21	3.81

### Measuring Pipettes, Class B, Type 2

Manufactured in accordance with BS EN ISO 835:2007 out of soda glass.

Zero at top — total capacity marked at shoulder.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
WJ.488	1	0.01	0.01	2-10	£ 2.09
WJ.489	2	0.02	0.02	2-12	2.09
WJ.490	5	0.05	0.05	5-14	2.09
WJ.491	10	0.10	0.10	5-17	2.40
WJ.492	25	0.20	0.20	9-21	3.81
WJ.493	25	0.10	0.20	9-21	4.21

### Measuring Pipettes, Class B, Type 3

Manufactured in accordance with BS EN ISO 835:2007 out of soda glass.

Zero at top — total capacity marked at shoulder.



Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
WJ.494	1	0.01	0.01	2-10	£ 2.09
WJ.495	2	0.02	0.02	2-12	2.09
WJ.496	5	0.05	0.05	5-14	2.09
WJ.497	10	0.10	0.10	5-16	2.40
WJ.498	25	0.20	0.20	9-21	3.81
WJ.499	25	0.10	0.20	9-21	4.21

### Measuring Pipettes, Class B, Type 3F

Non. BS, manufactured out of soda glass.

Zero at top — total capacity marked at outlet, fast flow.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
WJ.500	1	0.01	0.01	2-3	£ 2.12
WJ.501	2	0.02	0.02	2-3	2.12
WJ.502	5	0.05	0.05	4-5	2.12
WJ.503	10	0.10	0.10	4-5	2.42
WJ.504	25	0.20	0.20	7-9	3.90



**Measuring Pipettes, Class B, Type 4**

Manufactured in accordance with BS EN ISO 835:2007 out of soda glass. To blowout.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
WJ.540	1	0.01	0.01	3-5	£ 2.14
WJ.541	2	0.02	0.02	4-6	2.14
WJ.542	5	0.05	0.05	5-7	2.14
WJ.543	10	0.10	0.10	6-9	2.40
WJ.544	25	0.20	0.20	8-11	4.36

**Measuring Pipettes, Class A, Type 1**

Manufactured in accordance with BS EN ISO 835:2007 out of soda glass.

Zero at top — total capacity marked at shoulder.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
BJ.527	1	0.01	0.006	7-10	£ 12.16
BJ.528	2	0.02	0.010	8-12	12.16
BJ.529	5	0.05	0.030	10-14	12.16
BJ.530	10	0.10	0.050	13-17	12.82
BJ.531	25	0.20	0.100	15-21	18.45
CT.906	Works Certificate of Accuracy				15.26

**Measuring Pipettes, Class A, Type 2**

Manufactured in accordance with BS EN ISO 835:2007 out of soda glass.




Total capacity at top - zero at outlet.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
BJ.532	1	0.01	0.006	5-7	£ 12.16
BJ.533	2	0.02	0.010	6-9	12.16
BJ.534	5	0.05	0.030	8-11	12.16
BJ.535	10	0.10	0.050	10-13	12.82
BJ.536	25	0.20	0.100	11-16	18.45
CT.906	Works Certificate of Accuracy				15.26

**Measuring Pipettes, Short Form Serological**

Non BS, manufactured out of soda glass. To blowout

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Flow Time Seconds	Price Each
PGS001	1	0.01	0.01	3-5	£ 2.48
PGS002	2	0.02	0.02	4-7	2.58
PGS005	5	0.05	0.05	5-7	2.91
PGS010	10	0.10	0.10	6-9	3.67
PGS025	25	0.20	0.20	8-11	4.73




## SEPARATING FUNNELS

Separating Funnels are used to separate a mixture of immiscible liquids. The mixture is poured into the funnel and allowed to settle until the two phases are sitting one above the other. The stopper is removed and the lower phase is drawn off first through the stopcock.

### Separating Funnels, Pear Shape, Type 2, Glass Key

Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, glass key

Product Code	Capacity ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.558	25	B19	2	£ 20.94
WJ.559	50	B19	2	20.94
WJ.560	100	B19	2	23.75
WJ.561	250	B24	3	26.57
WJ.562	500	B24	3	30.05
WJ.563	1000	B29	3	38.38



### Separating Funnels, Pear Shape, Type 2, PTFE Key


Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, PTFE key

Product Code	Capacity ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.564	25	B19	2	£ 23.75
WJ.565	50	B19	2	23.75
WJ.566	100	B19	2	25.15
WJ.567	250	B24	3	31.38
WJ.568	500	B24	3	33.55
WJ.569	1000	B29	3	45.00

### Separating Funnels, Conical Shape, Type 1, Glass Key

Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, glass key

Product Code	Capacity ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.570	25	B19	2	£ 20.94
WJ.571	50	B19	2	20.94
WJ.572	100	B19	2	22.62
WJ.573	250	B24	3	28.64
WJ.574	500	B24	3	32.48
WJ.575	1000	B29	3	37.11



### Separating Funnels, Conical Shape, Type 1, PTFE Key

Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, PTFE key

Product Code	Capacity ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.576	25	B19	2	£ 22.32
WJ.577	50	B19	2	22.32
WJ.578	100	B19	2	25.15
WJ.579	250	B24	3	31.05
WJ.580	500	B24	3	34.89
WJ.581	1000	B29	3	43.59

## DROPPING FUNNELS

Dropping Funnel are used to add a liquid to a mixture. They can also be used as a separating funnel if needed.

### Dropping Funnel, Type 4, Glass Key


Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, glass key

Product Code	Capacity ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.582	25	B14	2	£ 22.55
WJ.583	50	B19	2	22.55
WJ.584	100	B19	2	25.05
WJ.585	250	B24	3	31.95
WJ.586	500	B24	3	36.29
WJ.587	1000	B29	3	42.82
WJ.588	2000	B29	3	60.96

### Dropping Funnel, Type 4, PTFE Key

Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, PTFE key

Product Code	Capacity ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.589	50	B19	2	£ 24.72
WJ.590	100	B19	2	29.03
WJ.591	250	B24	3	32.64
WJ.592	500	B24	3	38.52
WJ.593	1000	B29	3	48.28



### Dropping Funnel, Type 5, Graduated, Glass Key


Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, glass key

Product Code	Capacity ml	Graduations ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.595	50	1	B19	2	£ 29.31
WJ.596	100	2	B19	2	30.78
WJ.597	250	5	B24	3	37.76
WJ.598	500	10	B24	3	43.23
WJ.599	1000	20	B29	3	52.41

### Dropping Funnel, Type 5, Graduated, PTFE Key

Manufactured in accordance with BS ISO 4800: 1998 out of borosilicate glass, PTFE key


Product Code	Capacity ml	Graduations ml	Stopper Size	Stopcock Bore in mm	Price Each
WJ.600	25	1	B14	2	£ 29.44
WJ.601	50	1	B19	2	32.96
WJ.602	100	2	B19	2	35.56
WJ.603	250	5	B24	3	41.78
WJ.604	500	10	B24	3	49.31
WJ.605	1000	20	B29	3	61.54



**Dropping Funnels, Open Top, Glass Key**

Manufactured out of borosilicate glass, glass key

Product Code	Capacity ml	Stopcock Bore in mm	Price Each
WJ.798	25	2	£ 16.62
WJ.799	50	2	17.56
WJ.800	100	2	21.43
FTG250	250	3	20.82



**Dropping Funnels, Open Top, PTFE Key**



Manufactured out of borosilicate glass, PTFE key

Product Code	Capacity ml	Stopcock Bore in mm	Price Each
FTP025	25	2	£ 19.58
FTP050	50	2	19.58
FTP100	100	2	20.32
FTP250	250	3	23.78

**Dropping Funnels, Equalising Side Arm, PTFE Key**

Manufactured out of borosilicate glass, PTFE key

Product Code	Capacity ml	Stopcock Bore in mm	Stopper Size	Price Each
FYR025	25	2	B14	£ 56.67
FYR050	50	2	B19	56.25
FYR100	100	2	B19	58.15
FYR250	250	3	B24	65.62
FYR500	500	3	B24	74.34



**Dropping Funnels, Equalising Side Arm, Graduated, PTFE Key**

Manufactured out of borosilicate glass, PTFE key


Product Code	Capacity ml	Stopcock Bore in mm	Stopper Size	Price Each
FYL025	25	2	B14	£ 66.65
FYL050	50	2	B19	67.38
FYL100	100	2	B19	69.58
FYL250	250	3	B24	80.19
FYL500	500	3	B24	91.18

## Milk and Cream Pipettes

These blowout pipettes have extremely large size jets for use with thick liquids. The last drop left in the jet must be blown-out except where shown. Manufactured out of soda glass.

Product Code	Capacity ml	Description	Tolerance $\pm$ ml	Price Each
MP.678	10.8	One Mark, IS66	0.03	£ 9.18
MP.679	1	One Mark	0.02	2.21
MP.680	1 / 1.1	Two Mark	0.02	2.29
MP.681	0.5 / 1	Two Mark	0.02	2.36
MP.682	1 / 2	Two Mark	0.04	2.81
MP.683	2	One Mark	0.04	2.59
MP.684	5	One Mark	0.08	2.29
MP.685	10	One Mark	0.15	2.81
MP.686	5 / 10	Two Mark	0.15	3.03
MP.687	1	Amyl Alcohol	0.05	4.41
*MP.688	10.94	Milk, BS.696	0.03	7.71
*MP.689	10	Sulphuric Acid, BS.696	0.05	8.59
*MP.700	17.6	One Mark, BS.755	0.05	9.18
MP.703	5 gram	Cream (double bulb), BS.755		6.73


\* Not to be blown-out



## Mojonnier Pipettes [for Condensed Milk Tests]

Manufactured in accordance with BS.755, Part 1:1937 out of borosilicate glass. [Used to deliver a known volume of dairy product for analysis.]


Product Code	Capacity gr	Description	Price Each
MP.690	1	One Mark	£ 3.20
MP.691	1 / 2	Two Mark	3.48
MP.692	2	One Mark	3.28
MP.693	5	One Mark	3.78
MPM010	10	One Mark	3.87



## Mojonnier Flasks for Fat Extraction

Manufactured in accordance with BS ISO 3889:2006 out of borosilicate glass. [Used to measure the fat content of dairy products.]

Product Code	Description	Price Each
MP.694	Form A (Flat Base)	£ 26.79




**Reductase Tubes**

Manufactured out of soda glass. The 10 ml tube can be used for Methylene Blue dye reduction tests. The 2.5 / 10 ml tubes are suitable for antibiotic tests. The 5 / 10 ml tubes can be used for phosphatase and COD tests. The 7 / 10 ml tubes are suitable for ice-cream tests.

Sold only in packs of 100 tubes.


Product Code	Capacity ml	Description	Dimensions	Price per Pack
MP.696	10	One Mark	150mm x 16mm	£ 49.00
MP.697	2.5 / 10	Two Mark	150mm x 16mm	49.00
MP.698	5 / 10	Two Mark	150mm x 16mm	49.00
MP.699	7 / 10	Two Mark	150mm x 16mm	49.00



**Solubility Index Tubes**

Manufactured out of borosilicate glass. Used for Powder Milk Test. Graduated as follows: 0.5ml to 1ml x 0.1ml; 1ml to 3ml x 0.2ml; 3ml to 15ml x 0.5ml; 50 ml: one ring mark

Product Code	Description	Price Each
MP.701	50ml	£ 22.52



MP.701 MP.702

**Creamline Tubes**

Manufactured out of borosilicate glass. Used for estimating the fat content of cream.


Product Code	Description	Price Each
MP.702	Graduated 0 to 20% x 1%	£ 5.61

**Babcock Bottles**

Manufactured in accordance with BS.755, Part 1:1937 out of borosilicate glass.

[Used to measure the fat content of dairy products.]


Product Code	Description	Price Each
MP.704	9gr, Cream, 60%	£ 14.84
MP.705	18gr, Cream, 30%	14.84
MP.706	17.6ml, Milk, 8%	14.84
MP.707	9gr, Cream, 50%	14.84
MBB010	Milk, 10%	14.84



### Weighing Funnels for Cream or Cheese

Manufactured in accordance with BS.696 out of borosilicate glass. Used for weighing out cream or cheese for Gerber tests, each has a B7 joint on the stopper

Product Code	Description	Price Each
MP.710	Compete, Funnel and Stopper	£ 22.01
MP.711	Funnel only	16.87
MP.712	Stopper only	5.26




### Butyrometers, Gerber Type

Manufactured in accordance with BS ISO 488:2008 out of soda glass. Used to determine the fat content of dairy samples. (Other types of butyrometers can be supplied to customers' own specifications.)

Product Code	Description	Price Each
*MP.890	3gr, Cheese, 40% x 1%	£ 23.46
*MP.891	5gr, Cream, 70% x 1%	24.98
*MP.892	Semi-Skim Milk, 4% x 0.1%, 10.94ml	16.15
*MP.893	Milk, 8% x 0.1%, 10.94 ml	16.84
*MP.894	Double Qty Skim Milk, 0.5% x 0.02%, 21.88ml	26.07
MP.895	Double Qty Pipette, Skim Milk, 21.88ml	8.50

*\*Round Stem only; this size is not listed in the British Standard*




### Butyrometers and Pipettes, to Irish Standards

Manufactured in accordance with IS.66, IS.68 and IS.69 out of soda glass. These butyrometers are manufactured to Irish Standards, which differ from BS.696 both in the sample sizes used and the assumed density of fat.

Product Code	Description	Price Each
*MP.674	IS.69, 3gr, Cheese, 40% x 1%	£ 23.18
*MP.675	IS.68, 5gr, Cream, 70% x 1%	25.15
*MP.676	IS.66, Milk, 7% x 0.1%, 10.8ml	17.18
*MP.677	IS.66, Milk, 8% x 0.1%, 10.8ml	17.18
MP.678	IS.66, Milk Pipette, Tol ± 0.03ml, 10.8ml	9.18


*\*Round Stem only; this size is not listed in the Irish Standard*



**Distillate Receivers, Type 1, Crow**

Manufactured in accordance with BS.658 out of soda glass.

Product Code	Capacity ml	Class	Tolerance ± ml	Price Each
WJ.630	100	B	0.8	£ 29.20
BJ.631	100	A	0.4	73.74
WJ.628	50	B	0.4	29.20
WJ.629	25	B	0.2	29.20



**Distillate Receivers, Type 2, Cylindrical**

Manufactured in accordance with ASTM 3113 out of soda glass.


Product Code	Capacity ml	Class	Tolerance ± ml	Price Each
WJ.632	100	B	1.0	£ 25.09
WJ.633	200	B	1.4	31.55
RCT200	200	A	0.7	56.57

**Centrifuge Tubes, Pear Shape, ASTM**

Manufactured in accordance with ASTM D96 out of borosilicate glass.

Product Code	Description	Price Each
WJ.634	Pear shape, 100ml, ASTM D96	£ 53.29

Also available in 50ml capacity. Price on request.



WJ.634

WJ.635  
WJ.636

WJ.637

**Centrifuge Tubes, Cone Shape, ASTM**

Manufactured in accordance with ASTM D96 or IP 75 out of borosilicate glass.


Product Code	Description	Price Each
WJ.635	Cone shape, 100ml, IP75, 8"	£ 30.08
WJ.636	Cone shape, 100ml, ASTM D96, 8"	30.08
WJ.637	Cone shape, 100ml, ASTM D96, 6"	31.72

Also available in 50ml capacity. Price on request.

**Sulphonation Flasks**

Manufactured in accordance with ASTM D483 out of borosilicate glass.


Product Code	Description	Price Each
WJ.647	50%, ASTM D483	£ 39.87



**Cassia Flasks**

Manufactured in accordance with BS.676:1982 out of borosilicate glass.

Product Code	Type	Bulb Capacity	Neck Capacity	Graduations ml	Price Each
WJ.649	Cassia	150	10	0.1	£ 32.53
FKC150	Cassia	150	10	0.1	54.17



**Phenol Flasks**

Manufactured in accordance with BS.676:1982 out of borosilicate glass.

Product Code	Type	Bulb Capacity	Neck Capacity	Graduations ml	Price Each
WJ.648	Phenol	200	25	0.2	£ 57.31
FKP200	Phenol	200	25	0.2	65.84


**Dean & Stark Receivers**

For the determination of the water content in petroleum products.

Manufactured in accordance with BS.756 out of borosilicate glass.

Product Code	Capacity ml	Graduations ml	Tolerance ± ml	Price Each
BJ.637	2	0.05	0.02	£ 61.88
†WJ.638	2	0.05	0.04	43.54
BJ.639	7.5	0.10	0.04	51.56
†WJ.640	7.5	0.10	0.08	43.54
*BJ.641	10	0.10	0.06	91.66
†*WJ.642	10	0.10	0.12	80.21
BJ.643	25	0.20	0.10	65.31
†WJ.644	25	0.20	0.20	55.00
*BJ.645	25	0.20	0.10	91.66
†*WJ.646	25	0.20	0.20	80.21


\* With stopcock for easy drainage † Denotes tolerance not listed in British standards



**Density Bottles, Type 3, Gay-Lussac, BS EN ISO 3507:1999, Adjusted**

Manufactured out of borosilicate glass.


Product Code	Capacity ml	Price Each
WJ.759	5	£ 18.40
WJ.760	10	18.40
WJ.761	25	18.40
WJ.762	50	18.40
WJ.763	100	25.51
CT.909	Works Certificate of Accuracy	11.04



**Density Bottles, Type 3, Gay-Lussac Style, Unadjusted, Non BS**


Manufactured out of borosilicate glass.

Product Code	Capacity ml	Price Each
WJ.764	10	£ 13.01
WJ.765	25	13.01
WJ.766	50	13.01
WJ.767	100	15.46



**Density Bottles, Hubbard**

Product Code	Capacity ml	Price Each
WJ.750	25	£ 47.22
WJ.751	50	49.34



**Le Chatelier Flask, Class A, Serialised**

Manufactured in accordance with ASTM C188.


Product Code	Capacity Approx. (ml)	Tolerance ± ml	Bulb Diameter Approx.	Height Approx.	Price Each
BJ.758	24	0.05	90	285	£ 91.87
CT.909	Works Certificate of Accuracy				11.04

**Sugar Flasks**

Manufactured in accordance with BS.675 out of borosilicate glass.

Product Code	Type	Capacity ml	Class	Tolerance ± ml	Price Each
WJ.788	1	100/110	B	0.15	£ 16.66
BJ.789	2	100	A	0.03	24.32
FVM220	1	200/220	B	0.25	19.50


*\*Kolhrausch; 50 and 200 ml Kolhrausch flasks available on request.*



**Brewers Mash Flasks**

Manufactured in accordance with BS.701 out of borosilicate glass.


Product Code	Capacity ml	Tolerance ± ml	Price Each
WJ.790	500 / 515	0.6	£ 22.71



**Schopper Riegler Jar for Testing Paper**

Manufactured out of acrylic or borosilicate glass.


Product Code	Capacity ml	Tolerance ± ml	Price Each
WJ.791	1000 ml	10.0	£ 70.81



**Gammon Morgan Cylinders**

Manufactured out of borosilicate glass.


Product Code	Capacity and Tolerance	Price Each
WJ.792	Variable	£ 128.95



**Thistle Funnels**

Manufactured out of borosilicate glass.


Product Code	Description	Size in mm	Price per Pack
WJ.795	Thistle funnel	200	£ 2.99
WJ.796	Thistle funnel	250	3.10
WJ.797	Thistle funnel	300	3.27



### Beakers, Low Form

Manufactured in accordance with ISO 3819 out of borosilicate glass.


Product Code	Capacity ml	Number in Pack	Price per Pack
ER.822	50	12	£ 18.45
ER.823	100	12	19.82
ER.824	250	12	22.32
ER.825	400	12	29.33
ER.826	600	6	18.14
ER.827	1000	6	30.39
ER.828	2000	4	40.16



### Stirring Rods, Spade and Button End

Manufactured out of borosilicate glass. Sold only in packs of 10.

Product Code	Length mm	Diameter mm	Price per Pack
WJ.834	150	7	£ 8.57
WJ.835	200	7	8.71
WJ.836	300	7	10.16



### Stirring Rods, Straight Type


Manufactured out of borosilicate glass. Sold only in packs of 10.

Product Code	Length mm	Diameter mm	Price per Pack
WJ.837	150	7	£ 8.35
WJ.838	200	7	8.57
WJ.839	300	7	9.70

### Gas Test Burettes

Manufactured out of borosilicate glass. borosilicate glass.

Product Code	Description	Price Each
WJ.611	100ml Hempel Gas, TCD.155	£ 211.88
WJ.612	100ml Bunte Gas, TCD.156	189.91
WJ.613	100 & 110ml Tutweiler, TCD.157	211.88



**Gas Sampling Tubes, Type 1**

Manufactured in accordance with BS.2069 out of borosilicate glass.

One-Way Stopcock

Product Code	Capacity ml	Overall Length mm	Tolerance ± ml	Price Each
WJ.614	100	290	5	£ 38.84
WJ.615	250	340	5	48.54
†WJ.616	500	340	5	72.82



**Gas Sampling Tubes, Type 2**

Manufactured in accordance with BS.2069 out of borosilicate glass.

Two-Way Stopcock

Product Code	Capacity ml	Overall Length mm	Tolerance ± ml	Price Each
WJ.617	100	290	5	£ 132.54
WJ.618	250	340	5	138.94
†WJ.619	500	340	5	147.61


† Denotes this size or type is not British Standard



**Arnold Wash Bottles**

Manufactured out of borosilicate glass.


Product Code	Approx. Overall Height	Body O.D.	Side Arm O.D.	Price Each
WJ.660	125 mm	26 mm	6 mm	£ 29.22



## AVERAGE SYSTEM MEASURES

Manufactured out of borosilicate glass with enamel markings. Each item is serial numbered and certificates are available on request. Manufactured in accordance with Weights and Measures (Packaged Goods) Regulations 2006 No. 659. These items are used for serving non-alcoholic liquids for sale to the general public. They include acceptable error limits on serving sizes.


Product Code	Capacity ml	Tolerance ± ml	T= ml	2xT = ml	Price Each
AS.297	30	0.4	2.7	5.4	£ 24.76
AS.298	50	0.8	4.5	9.0	24.76
AS.299	60	0.8	4.5	9.0	24.76
AS.300	100	0.8	4.5	9.0	24.82
AS.301	113	0.8	5.1	10.2	24.82
AS.302	125	0.8	5.6	11.2	24.82
AS.303	142	0.8	6.4	12.8	24.82
AS.328	170	0.8	7.7	15.4	24.82
MAS180	180	0.8	8.1	16.2	24.82
AS.304	187.5	0.8	8.5	17.0	25.88
AS.305	189	0.8	8.5	17.0	25.88
AS.306	200	0.8	9.0	18.0	25.88
AS.307	250	0.8	9.0	18.0	25.88
AS.308	275	0.8	9.0	18.0	27.23
AS.309	284	0.8	9.0	18.0	27.23
MAS300	300	0.8	9.0	18.0	27.37
AS.310	330	0.8	9.9	19.8	27.50
AS.311	350	1.0	10.5	21.0	27.50
AS.323	355	1.0	10.6	21.3	28.01
AS.312	375	2.0	11.3	22.6	29.37
AS.294	440	2.0	13.2	26.4	30.77
AS.313	500	2.0	15.0	30.0	31.61
AS.314	550	2.0	15.0	30.0	33.40
AS.315	568	2.0	15.0	30.0	33.40
AS.316	700	2.0	15.0	30.0	34.87
AS.325	720	2.0	15.0	30.0	36.75
AS.326	725	2.0	15.0	30.0	36.75
AS.317	750	2.0	15.0	30.0	36.75
AS.318	1000	2.0	15.0	30.0	60.34
AS.319	1130	2.0	17.0	34.0	72.59
AS.320	1136	2.0	17.0	34.0	72.59
AS.321	1500	4.0	22.5	45.0	85.43
MAS97F	1750	4.0	26.3	52.6	88.63
AS.322	2000	4.0	30.0	60.0	105.69
CT.912	Works Certificates for Average Measure Systems				10.90



**Optic Measures**

Manufactured out of borosilicate glass with enamel markings. Each item is serial numbered and certificates are available on request. Whitegrad versions can also be manufactured. These measures are manufactured for use with Weights and Measures Regulations 1963/1710 regarding the serving of alcohol.

Product Code	Capacity	Tolerance ± ml	Price Each
OM.325	25 ml	0.20	£ 24.26
OM.326	35 ml	0.20	24.61
OM.327	50 ml	0.30	25.44
OM.328	70 ml	0.40	30.65
OM.329	125 ml	0.50	38.06
OM.330	175 ml	0.70	40.77
OM.331	1/2 Pint	0.80	41.93
OM.332	1 Pint	1.00	43.28
OM.333	1/6 Gill	0.20	33.08
OM.334	1/3 Gill	0.30	34.68
MON911	Combined Optic, 25, 35 & 50 ml		97.65
CT.911	Works Certificate for Optic Measures		10.90



**Trading Standards Measures**

Manufactured out of borosilicate glass with enamel markings. Each item is serial numbered and certificates are available on request. Manufactured to conform with Weights and Measures Act 1985.

Product Code	Capacity	Tolerance ± ml	Price Each
TM.410	25	0.12	£ 181.01
TM.411	50	0.15	187.81
TM.412	100	0.20	283.74
TM.413	125	0.25	300.34
TM.414	150	0.30	306.58
TM.415	175	0.35	320.06
TM.416	200	0.40	343.33
TM.417	250	0.40	400.44
TM.418	500	0.50	458.57
TM.419	1000	1.00	516.05
TM.420	2000	1.00	641.55
TM.421	5000	2.50	794.98
TM.422	10000	5.00	962.34
TM.423	20000	10.00	1248.26



**Conical Measures, Government Stamped**

Manufactured in accordance with BS.1922 out of soda glass.


Each measure is Government Stamped.

Product Code	Capacity ml	Number of Graduations	Price Each
CM.363	5	5	£ 15.40
CM.364	10	10	15.97
CM.366	25	9	17.62
CM.368	50	10	18.03
CM.369	50	18	27.03
CM.371	100	10	18.24
CM.373	250	10	24.80
CM.375	500	10	31.96

**Conical Measures, Unstamped**

Manufactured out of soda glass.


Product Code	Capacity ml	Number of Graduations	Price Each
CM.374	5	5	£ 10.56
CM.376	10	10	11.00
CM.378	25	9	11.68
CM.379	50	10	12.34
CM.380	50	18	15.81
CM.381	100	10	14.02
CM.382	250	10	19.29
CM.383	500	10	23.34

**Cylinder Measures, Government Stamped**

Manufactured in accordance with BS EN ISO 4788:2005 out of borosilicate glass.

Each measure is Government Stamped.

Product Code	Capacity ml	Graduations ml	Tolerance $\pm$ ml	Price Each
CY.140	5	0.1	0.05	£ 15.72
CY.141	10	0.2	0.1	15.72
CY.142	25	0.5	0.2	15.72
CY.143	50	1.0	0.4	16.49
CY.144	100	1.0	0.5	17.93
CY.146	250	2.0	1.0	22.68
CY.147	500	5.0	2.0	28.05
CY.148	1000	10.0	4.0	33.57
CY.149	2000	20.0	8.0	55.89



**Bell Measures, Government Stamped**


Manufactured in accordance with BS.1922 out of borosilicate glass.  
Each measure is Government Stamped.

Product Code	Capacity ml	Number of Graduations	Tolerance ± ml	Price Each
BM.355	250	10	1.5	£ 26.34
BM.357	500	10	2	30.42
BM.358	1000	10	4	39.36
BM.370	2000	8	8	87.92
BM.373	5000	10	12	166.86

**Bell Measures, Unstamped**

Manufactured out of borosilicate glass.


Product Code	Capacity ml	Number of Graduations	Tolerance ± ml	Price Each
BM.359	250	10	1.5	£ 19.56
BM.361	500	10	2	25.75
BM.362	1000	10	4	34.22



**Beaker Measures, Government Stamped**

Manufactured in accordance with BS.1922 out of borosilicate glass.  
Each measure is Government Stamped.  
This indicates that each graduation line has been independently checked by a notified body to ensure that the volume is correct.


Product Code	Capacity ml	Number of Graduations	Tolerance ± ml	Price Each
BN.351	10	10	0.2	£ 18.59
BN.352	25	10	0.3	21.04
BN.353	50	10	0.5	21.27
BN.354	100	10	1	21.50
BN.355	250	10	1.5	25.03
BN.356	500	10	2	28.89
BN.358	1000	10	4	37.39
BN.370	2000	8	8	70.08
BN.373	5000	10	10	150.17



### Ganongs Respirometer

Manufactured out of borosilicate glass with white enamel markings.

Product Code	Description	Price Each
WJ.793	Glass parts only, with white enamel markings	£ 42.50



### Gas Measuring Tubes

Manufactured out of borosilicate glass

Product Code	Description	Price Each
WJ.794	50ml x 0.1ml	£ 11.55




### Hoffman Voltmeter Apparatus

For the demonstration of the chemical composition of water by volume and the electrochemical equivalent of Hydrogen by electrolysis.


Manufactured out of borosilicate glass

Product Code	Description	Price Each
WJ.606	Voltmeter, ungraduated, glass parts only	£ 87.05
WJ.607	Votameter, 50ml graduated, glass parts only	100.70
WJ.608	Platinum electrodes, per pair	60.46
WJ.609	Carbon electrodes, per pair	19.53
WJ.610	Safety clamp	6.63



### Gas Burette, Complete


Product Code	Description	Price Each
WJ.391	Gas Burette, Complete, 14 ml, Special	£ 18.10



**Rain Gauge Measures, Cylindrical**

Manufactured out of soda glass.


Product Code	Description	Rainfall & Funnel Size	Tolerance ± mm	Price Each
WJ.722	Economy, Flat base	10 mm for 5"	0.1	£ 9.42
WJ.724	Standard, Flat base	1/2" for 5"	0.1	11.18
WJ.725	Flat base	10 mm for 8"	0.1	28.66
WJ.726	Flat base	50 mm for 5"	0.1	44.58



**Rain Gauge Measures, Camden/Crowfoot**

Manufactured out of borosilicate glass.

Product Code	Description	Rainfall & Funnel Size	Tolerance ± mm	Price Each
WJ.723	Camden/crowfoot	10 mm for 5"	0.1	£ 23.90




**Rain Gauge Measures, Class A Tapered MO Pattern**

Manufactured out of soda glass.

Product Code	Description	Rainfall & Funnel Size	Tolerance ± mm	Price Each
*WJ.727	Class A Tapered MO Pattern	10mm for 5"	0.05	£ 38.99

\* Serial Numbered; Tolerance below 2mm ± 0.02



### Bilbate High Quality Glass Disposables

Jaytec Glass Ltd has taken over the manufacture of all Bilbate products including Capillaries and Pasteur Pipettes. For more than three decades, the name Bilbate has been associated with high quality glass disposables. Bilbate's reputation is built on dedication to quality and Jaytec Glass Ltd maintains this status whilst upholding Jaytec Glass Ltd.'s high standards of consistent quality, expertise and reliability.

## CAPILLARIES

### Micro-Haematocrit Tubes

Manufactured in accordance with BS ISO 12772:1997 out of soda glass. Supplied plain or heparinised in packs of 1000.

Product Code	Length mm ± 0.5	Diameter (D) mm ± 0.5	Diameter (d) mm ± 0.5	Description	Pack Size	Price
CAP-MH-68	68	1.55	1.15	†Plain	1000	£ 15.66
CAP-MH-75	75	1.55	1.15	Plain	1000	15.31
CAP-MH-100	100	1.55	1.15	†Plain	1000	21.21
CAP-MH-68H	68	1.55	1.15	†Heparinised*	1000	20.26
CAP-MH-75H	75	1.55	1.15	Heparinised*	1000	20.63
CAP-MH-100H	100	1.55	1.15	†Heparinised*	1000	23.00

† Sizes not in BS ISO 12772:1997

\* Heparinised in either sodium, lithium or free acid EDTA

### Melting Point Tubes


Manufactured out of soda glass. Designed to be compatible with all the major melting point apparatus.

Product Code	Length mm	Diameter (D) mm	Description	Pack Size	Price
CAP-MPO-75	75mm	1.3–1.4	open both ends	1000	£ 13.62
CAP-MPC-75	75mm	1.3–1.4	one end sealed	1000	19.03
CAP-MPO-100	100mm	1.3–1.4	open both ends	1000	14.52
CAP-MPC-100	100mm	1.3–1.4	one end sealed	1000	19.31

Also available in 1.8-1.9mm O.D.

### Miscellaneous

Product Code	Description	Diameter (D) mm	Pack Size	Price
CAP-CS-10	Capillary Sealing Compound		10	£ 31.04
CAP-AP-25F	Capillary Tube Pipettor – Fine	0.4–0.6	25	60.23
CAP-AP-25S	Capillary Tube Pipettor – Small	0.7–1.0	25	60.23
CAP-AP-25M	Capillary Tube Pipettor – Medium	1.1–1.6	25	60.23
CAP-AP-25L	Capillary Tube Pipettor – Large	1.7–2.2	25	60.23



Capillary Tube sold separately

## Thin Layer Chromatography (TLC)

### Spotting Capillaries

TLC is a simple and inexpensive technique that is often used to judge the purity of a synthesized compound or to indicate the extent of progress of a chemical reaction.

Carrying out a TLC analysis comprises a number of stages: preparing a spotting capillary; marking the TLC plate; spotting the TLC plate; developing the TLC plate; drying the plate; visualising the substance spots, and measuring the  $R_f$  values.


### TLC

Manufactured out of soda glass. Drawn to a fine bore for accurate spotting on TLC plates for qualitative analysis.

Product Code	Length (mm)	Diameter (mm)	Pack Quantity	Price
CAP-SPEC-75-5 OD	75	0.5 (OD)	1000	£ 41.87
CAP-SPEC-75-5 ID	75	0.5 (ID)	1000	52.34

Also available heparinised in either sodium, lithium or free acid EDTA

Price on application



### Total Fill Capillary Tubes (Micro Pipettes)


Manufactured according to ISO 7550:1985 out of soda glass.

Capillary tube calculated 'to contain' the stated volume end to end for end use in quantitative analysis.

Product Code	Volume	Pack Quantity	Price
CAP-TF-1	1µl	1000	£ 100.32
CAP-TF-2	2µl	1000	100.32
CAP-TF-3	3.33µl	1000	100.32
CAP-TF-5	5µl	1000	100.32
CAP-TF-6	6.66µl	1000	100.32
CAP-TF-10	10µl	1000	100.32
CAP-TF-15	15µl	1000	100.32
CAP-TF-20	20µl	1000	97.89
CAP-TF-25	25µl	1000	97.89
CAP-TF-40	40µl	1000	97.89
CAP-TF-45	44.7µl	1000	97.89
CAP-TF-50	50µl	1000	97.89
CAP-TF-60	60µl	1000	97.89
CAP-TF-100	100µl	1000	97.89

Also available heparinised in either sodium, lithium or free acid EDTA

Price on application




**Blood Gas Analysis Tubes**

Manufactured out of soda glass.

Product Code	Volume (min)	Pack Quantity	Price
CAP-BGA-100	100µl	1000	£ 49.36
CAP-BGA-150	150µl	1000	51.46
CAP-BGA-200	200µl	2 x 500	53.37
CAP-BGA-300	300µl	2 x 500	54.14

Also available heparinised in either sodium, lithium or free acid EDTA  
Price on application




**Stocked Specials**

Manufactured out of soda glass.

A range of 'special' capillaries are available to meet individual customer needs.

Product Code	Length (mm)	OD (mm)	Pack Quantity	Price
CAP-SPEC-75-8	75	0.8	1000	£ 50.42
CAP-SPEC-75-10	75	1.0	1000	50.42
CAP-SPEC-75-12	75	1.2	1000	50.42
CAP-SPEC-75-14	75	1.4	1000	50.42
CAP-SPEC-75-15	75	1.5	1000	50.42
CAP-SPEC-75-16	75	1.6	1000	50.42
CAP-SPEC-75-18	75	1.8	1000	50.42
CAP-SPEC-75-20	75	2.0	1000	50.42
CAP-SPEC-75-25	75	2.5	1000	50.42

Also available heparinised in either sodium, lithium or free acid EDTA  
Price on application



## Pasteur Pipettes

### Offer the following benefits:

- Easy to use
- Accurate controlled dispensing
- No contamination of samples
- Visibility of material being dispensed — enabling elimination of air bubbles and debris

### Short Form Pasteur Pipettes

Manufactured in accordance with BS 5732:1985 out of soda glass.

Pack Qty 1000 (250 x 4)

Product Code	Description	A mm	B mm	C mm	D mm	E mm	Price per Pack
PP-150-S100	Standard Pipette	7.0	90	60	1.4-1.6	150	£ 25.15
PP-165-S200	Ministry Size Pipette	7.0	90	75	1.4-1.6	165	26.65
PP-150-S300	Fine Bore 40 Dropper	7.0	90	60	1.3	150	26.33
PP-150-S400	Fine Bore 50 Dropper	7.0	90	60	0.95	150	26.33
PP-165-S400	Fine Bore 50 Dropper	7.0	90	60	0.95	165	23.93
PP-150-S700	Wide Bore	7.0	90	60	1.8-2.0	150	25.90

Can be supplied with the following options:

*SIL – Silconized*

*CWP – Cotton wool plugged*

Price on application

### Long Form Pasteur Pipettes

Manufactured in accordance with BS 5732:1985 out of soda glass.

Pack Qty 1000 (250 x 4)

Product Code	Description	A mm	B mm	C mm	D mm	E mm	Price per Pack
PP-230-L100	Standard Pipette	7.0	90	140	1.3-1.6	230	£ 25.42
PP-250-L200	Long Capillary	7.0	90	160	1.3-1.6	250	26.30
PP-270-L300	Extra Long Capillary	7.0	90	180	1.3-1.6	270	24.31
PP-230-L400	Fine Bore 40 Dropper	7.0	90	140	1.3	230	27.05
PP-230-L500	Fine Bore 50 Dropper	7.0	90	140	0.95	230	27.05
PP-230-L700	Wide Bore	7.0	90	140	1.8-2.0	230	26.18
PP-270-L900	Extra Long Body Short Capillary	7.0	240	30	1.4-1.6	270	61.80


Can be supplied with the following options:

*ST – Sealed Tip*

*POL – Polished End*

*S – Sterile*

Price on application



### Sealed Tip Pasteur Pipette.

Manufactured out of soda glass.


Pack Qty 1000 (250 x 4)

Product Code	Description	A mm	B mm	C mm	D mm	E mm	Price per Pack
PP-150-ST	Short Form Sealed Tip	7.0	90	60	1.4-1.6	150	£ 31.32
PP-165-ST	Ministry Sealed Tip	7.0	90	75	1.4-1.6	165	32.82
PP-230-ST	Long Form Sealed Tip	7.0	90	140	1.4-1.6	230	31.83
PP-250-ST	Extra Long Capillary Sealed Tip	7.0	90	160	1.4-1.6	250	32.70
PP-270-ST	Extra, Extra Long Capillary Sealed Tip	7.0	90	180	1.4-1.6	270	31.32

Can be supplied with the following option:

CWP – Cotton wool plugged

Price on application




### Orbital Pipettes

Manufactured out of soda glass.

Designed specifically for use in orbital bleeding techniques – to contain 2ml.

Product Code	Description	Pack Size	Price
PP-O-M	For use on mice and small rodents – Fine Bore	250	£ 148.32
PP-O-G	Mini-Orbital, graduated to 0.3ml designed for smallest rodents	500	148.32
PP-O-R	For use on adult rats – Medium Bore	250	148.32

Normally supplied siliconised. Also available plain or heparinised.




### Tissue Culture Pipettes

Manufactured out of soda glass.

Extra strong pipettes, suitable for repeated use. Pack Qty 200pcs.

Product Code	Description	A mm	B mm	C mm	D mm	E mm	Price per Pack
PP-165-TC1	Tissue Culture Pipettes	8.0	90	75	1.4-1.6	165	£ 92.70
PP-230-TC2	Tissue Culture Pipettes	8.0	90	140	1.4-1.6	230	91.50
PP-230-TC3	Tissue Culture Pipettes	8.0	150	80	1.4-1.6	230	91.50




## DROPPING PIPETTES

Pipettes are manufactured from neutral glass, but can be made of borosilicate or soda glass if required. We can supply virtually any size and style of dropping pipette. The most common shapes are illustrated at right. For convenience there is also a table showing the recommended pipette lengths for the most commonly used bottle sizes and types.

Our standard range of bent ball pipettes on page 35 are manufactured in 7.0mm neutral glass. Bent ball pipettes are supplied either loose or assembled with teat and cap. They can also be supplied printed with calibration lines. Please contact us for details.

Dropping Pipette Types




### Recommended Lengths for Dropping Pipettes

Bottle Type	Bottle Volume	Neck Type	Pipette Length
Amber	5 ml	18GL	48mm
Amber	10 ml	18GL	59mm
Blue	10 ml	18GL	59mm
Amber Winchester	10 ml	R3/20	48mm
Amber Hexagonal	10 ml	R3/20	59mm
Amber	15 ml	18GL	65mm
Amber Winchester	15 ml	R3/20	59mm
Amber	20 ml	18GL	67mm
Amber Hexagonal	20 ml	R3/20	71mm
Amber	25 ml	18GL	71mm
Amber Winchester	25 ml	R3/20	71mm
Amber	30 ml	18GL	79mm
Blue	30 ml	18GL	79mm
Amber Winchester	30 ml	R3/20	79mm
Amber	50 ml	18GL	85mm
Blue	50 ml	18GL	85mm
Amber Winchester	50 ml	R3/20	87mm
Amber	100 ml	18GL	104mm
Blue	100 ml	18GL	110mm
Amber Winchester	100 ml	R3/20	104mm

## Straight Pipettes and Teats

Pipettes of Neutral Glass

Product Code	Description	Price per pack of 10
K52/ASS017	Dropping Pipette with teat graduated at 0.5ml and 1ml	£ 5.07
K52/ASS018	Dropping Pipette with teat 2ml	3.89
K52/ASS022	Dropping Pipette graduated at 0.5ml and 1ml	2.84
K52/ASS023	Black Natural Rubber Teats	2.60
K52/ASS024	Dropping Pipette, 75mm	1.67



**Bent Ball Pipettes**

Neutral Glass


Product Code	Size	Price per 1,000
K07/B2/ARK/48	48 mm	£ 55.13
K07/B2/ARK/59	59 mm	57.74
K07/B2/ARK/65	65 mm	59.17
K07/B2/ARK/67	67 mm	59.67
K07/B2/ARK/71	71 mm	60.62
K07/B2/ARK/79	79 mm	60.62
K07/B2/ARK/85	85 mm	63.96
K07/B2/ARK/87	87 mm	64.44
K07/B2/ARK/104	104 mm	67.79
K07/B2/ARK/110	110 mm	69.94



**Teats & Caps**

Product Code	Item	Material	Size	Colour	Price per 1,000
K51/NRB	Teat	Natural Rubber	SR18	Black	£ 92.22
K51/20R3B	Cap	Phenolic	R3/20	Black	82.62
K51/GL18B	Cap*	Polyethylene	GL18	Black	66.39
K51/GL18W	Cap*	Polyethylene	GL18	White	71.10

\* These caps have tamper-evident seals




**Bent Ball Pipette & Cap Assemblies**

Pipettes of Neutral Glass

Product Code	Pipette Length	Bottle Neck Type	Price per 1,000
K52/ASS005	48 mm	18GL *	£ 235.09
K52ASS007	48 mm	R3/20	246.89
K52/ASS001	59 mm	18GL *	237.72
K52ASS008	59 mm	R3/20	249.53
K52/ASS025	65 mm	18GL *	239.15
K52/ASS029	65 mm	R3/20	250.95
K52/ASS006	67 mm	18GL *	239.64
K52ASS009	67 mm	R3/20	251.44
K52/ASS026	71 mm	18GL *	240.59
K52/ASS030	71 mm	R3/20	252.39
K52/ASS011	79 mm	18GL *	240.59
K52ASS010	79 mm	R3/20	252.39
K52/ASS027	85 mm	18GL *	243.93
K52/ASS031	85 mm	R3/20	255.74
K52/ASS002	87 mm	18GL *	244.42
K52/ASS032	87 mm	R3/20	256.22
K52/ASS012	104 mm	18GL *	247.77
K52/ASS033	104 mm	R3/20	259.56
K52/ASS028	110 mm	18GL *	249.92
K52/ASS034	110 mm	R3/20	261.71


\* These assemblies include caps with tamper-evident seals

Prices for printed assemblies on application




**MICROSCOPE SLIDES, COVER CIRCLES AND SLIPS****Microscope Slides**


Product Code	Description	Thickness mm	Number per Box	Price per Box
MCG00810	Slides, Clear, Ground	0.8-1.0	50	1.92
MCG01012	Slides, Clear, Ground	1.0-1.2	50	1.92
MCG01215	Slides, Clear, Ground	1.2-1.5	50	2.04
MBG00810	Slides, Frosted 2 sides, Ground	0.8-1.0	50	1.43
MBG01012	Slides, Frosted 2 sides, Ground	1.0-1.2	50	1.43
MBG01215	Slides, Frosted 2 sides, Ground	1.2-1.5	50	1.56

**Cover Slips**

Product Code	Description	Thickness mm	Number per Box	Price per Box
MCS01818	Cover Slips, 18 x 18mm	0.16-0.19	200	1.30
MCS02020	Cover Slips, 20 x 20mm	0.16-0.19	200	1.35
MCS02222	Cover Slips, 22 x 22mm	0.16-0.19	200	1.44
MCS02250	Cover Slips, 22 x 50mm	0.16-0.19	100	1.44
MCS02424	Cover Slips, 24 x 24mm	0.16-0.19	200	1.49
MCS02432	Cover Slips, 24 x 32mm	0.16-0.19	100	1.18
MCS02440	Cover Slips, 24 x 40mm	0.16-0.19	100	1.35
MCS02450	Cover Slips, 24 x 50mm	0.16-0.19	100	1.44
MCS02460	Cover Slips, 24 x 60mm	0.16-0.19	100	1.61
MCS21818	Cover Slips, 18 x 18mm	0.13-0.17	200	1.30
MCS22020	Cover Slips, 20 x 20mm	0.13-0.17	200	1.35
MCS22222	Cover Slips, 22 x 22mm	0.13-0.17	200	1.44
MCS22226	Cover Slips, 22 x 26mm	0.13-0.17	200	1.49
MCS22232	Cover Slips, 22 x 32mm	0.13-0.17	100	1.18
MCS22240	Cover Slips, 22 x 40mm	0.13-0.17	100	1.35
MCS22250	Cover Slips, 22 x 50mm	0.13-0.17	100	1.44
MCS22424	Cover Slips, 24 x 24mm	0.13-0.17	200	1.49
MCS22432	Cover Slips, 24 x 32mm	0.13-0.17	100	1.18
MCS22440	Cover Slips, 24 x 40mm	0.13-0.17	100	1.35
MCS22450	Cover Slips, 24 x 50mm	0.13-0.17	100	1.44
MCS22460	Cover Slips, 24 x 60mm	0.13-0.17	100	1.61

**Cover Circles**

Product Code	Description	Thickness mm	Number per Box	Price per Box
MCR00016	Cover Circles, 16mm dia	0.16-0.19	100	1.66
MCR00019	Cover Circles, 19mm dia	0.16-0.19	100	1.73
MCR00022	Cover Circles, 22mm dia	0.16-0.19	100	1.85
MCR20016	Cover Circles, 16mm dia	0.13-0.17	200	2.76
MCR20019	Cover Circles, 19mm dia	0.13-0.17	200	3.16
MCR20022	Cover Circles, 22mm dia	0.13-0.17	200	3.32



### ISO 9001

All laboratory glassware that is manufactured by Jaytec Glass Limited., is under BS EN ISO 9001:2008 conditions and is of the highest standard of quality obtainable anywhere, with particular attention being given to the high standard of accuracy expected whenever volumetric glassware products are being used.

To maintain a high standard of quality, all our Laboratory Glassware products are manufactured by trained craftsmen using modern methods of production to prevailing British Standard Specification where such standards are specified.

### Markings

The markings on our glassware products are clearly definable being produced using either permanent amber stain, acid-etch method of graduation or by using ceramic enamel permanently fused markings.

### Units of Volume

The unit of volume that is used in the production and marking of volumetric glassware is based on and conforms to the SI System that is now adopted as the standard volumetric unit in the United Kingdom.

### Types of Glass

This catalogue clearly identifies the type of glass used on each product, either SODA lime or BOROSILICATE glass tubing

### Grade A Volumetrics

In certain instances where a high standard of accuracy is required for a particular reason, then volumetric glassware marked and conforming to CLASS A standard should be specified, these are clearly identified within the pages of this catalogue.

### Certification

If required, and for an additional charge we can provide you with a Works Certificate of Accuracy which is traceable to the National Physical Laboratory. Please ask our Sales department about this facility.

### Grade B Volumetrics

For normal or general Laboratory or classroom work where a high standard of accuracy is not required, then items of volumetric glassware marked as conforming to CLASS B standards of accuracy are sufficient for most needs, and are considered to be ideal for use in schools, colleges, universities, hospitals, industrial laboratories and for all kinds of general routine laboratory work.

The use of unapproved devices  
The additional use of unapproved devices or of an appendage in any form with any of our laboratory glassware cannot be recommended, as the company will not be held responsible for any kind of mishap that results from the use of any such device.

### Caution and Check

We advise that all items of laboratory glassware should be checked and examined prior to their use in order to ensure and satisfy without doubt that the item being used is fit for purpose and suitable for the application.

This warning applies particularly where items of different types of glass are used within a laboratory, as it is extremely dangerous for SODA glass items to be unknowingly used in a laboratory for heating chemicals of any kind of Bunsen burner, in a heating mantle or being subjected to any form of heat source that the normal working temperature is over 20°C.

For this reason we do specify in this catalogue wherever possible the particular type of glass that has been used in its manufacture. It must be assumed that whenever a particular glass has not been specified that this item has been fabricated using SODA glass.

### Health & Safety

Unless otherwise stated, all Jaytec products when despatched from the factory are NOT sterile, and the user must act accordingly.

### Distribution

The distribution of our laboratory glassware products to the user in the United Kingdom is made only through approved laboratory furnishers, and we reserve the right to alter or to adjust any prices or

materials without prior notice should circumstances be beyond our control make such an adjustment necessary.

### Technical Assistance

We would be pleased to assist in an advisory capacity and in accord with our years of experience in the scientific glassware industry, in placing our knowledge at the disposal of technicians who may be in need of such assistance.

### Additional Services

**Acid Etching of Glassware**  
As a service for our customers we undertake the Acid-Etch method of graduating any item of volumetric scientific glassware that requires to be graduated to specific requirements, and will be pleased to advise and to be of assistance in providing this service.

### Amberising of Glassware

We also offer an amberisation service for Borosilicate glass products.

**Screenprint marking of Glassware**  
We also undertake the silk-screen printing in either amber stain or White/Black/Blue enamel of glassware to special requirements of any items that are not shown in our catalogue.

### Non-Catalogue or Custom Glassware.

Apart from the many products shown in this catalogue we have over the years manufactured many other Laboratory and Scientific glassware products with special requirements for our customers, Please ask our Sales Department for further information on this service or for them to provide you with a quotation.

**Any glassware that is sent to us for graduating work or any additional process to be carried out by us, will only be accepted at the customers own risk in the event of breakage.**

### Terms and Conditions of Sale

Please refer to our complete list of conditions of Sale at the end of this catalogue.

**5.6** Nothing in the contract will constitute the Buyer the agent or Seller in respect of any resale of the Goods by the Buyer so as to confer upon a third party rights against the Seller.

**5.5** Notwithstanding any other Contract Term, risk in the Goods shall pass to the Buyer when the Goods are delivered to the Buyer or its agent.

### 6. Price

**6.1** Subject to clause 6.2 the price shall be fixed as specified in the Sellers price list current at date of order except as otherwise in agreed writing.

**6.2** The Seller reserves the right to amend the contract price of Goods to take account of any variations in currency exchange rates, transport taxes and duties or the or the imposition of any new taxes or duties occurring from whatever cause before delivery of the Goods.

**6.3** Unless expressly stated otherwise all prices are exclusive of VAT which shall be charged at the rate and in the manner prescribed by law from time to time.

**6.4** All orders are subject a minimum net order charge of £30.00.

### 7. Payment Terms

**7.1** For all credit accounts approved by the Seller in writing for Customers in the UK, are to be paid in full within 30 days from the date of invoice

**7.1** Payment will be made in Pounds Sterling in England The Buyer will establish and maintain in favour of the Seller an irrevocable letter of credit in English confirmed by a UK clearing bank payable at sight upon presentation to the bank by the Seller's invoice. Such letter of credit shall cover the full price of the Goods (including applicable taxes). All bank charges and other expenses in relation to the letter of credit shall be paid by the Buyer. No order will be acted upon until receipt of a suitable letter of credit unless other payment terms have been agreed by the Seller.

**7.2** Interest at annual rate of 5% above Midland Plc base rate from time to time will accrue daily and be calculated on a daily basis on overdue accounts from 30 days after the invoice date until payment.

**7.3** Notwithstanding any contract term allowing the Buyer credit payment shall become due and payable to the Seller immediately upon termination of the contract.

**7.4** Where the buyer makes a default under the contract or any other contract with the Seller in payment on the due date of any sum due to the Seller, the Seller without liability may postpone any delivery or may cancel the contract or any other contract between the Seller and the Buyer but without prejudice to any right or remedy which the Seller may have against the Buyer in respect of such default.

**7.5** The Seller will be entitled to payments for all instalments of Goods delivered to the Buyer .

### 8. Cancellation

**8.1** The Buyer is not entitled to cancel, extend or delay the contract or part thereof.

**8.2** If the Seller consents to the Buyer cancelling the contract or part of thereof and returning the Goods to the Buyer shall be liable to pay the Sellers then current handling charge. Returns are only accepted subject to clause 4.7.

**8.3** In the Case of an order being cancelled after a part shipment of the Goods have been made, the Seller reserves the right to have these Goods returned to the Seller at the Buyers Cost (Subject to clause 4.7).

**8.4** If the Seller is unable to (wherever temporarily or permanently) to procure any services or goods necessary to enable it to supply the Goods or if the supply of the Goods is prevented or hindered by reason of any cause beyond the Seller's reasonable control including labour disputes involving the work force or any part thereof to the Seller, restraints or delays affecting shipping or carriers, currency restrictions and Act of God, the Seller may cancel or suspend performance of the contract by notice in writing to the Buyer so far as it relates to Goods not then supplied or work not then done and such cancellation or suspension shall not give rise to claims by the buyer provided that the Buyer shall remain liable to pay for the Goods delivered prior to the date of such cancellation or suspension.

### 9. Promotional material

No drawings, descriptive matter, weights, dimensions or shipping specifications issued by the Seller or the manufacturer of the Goods, nor the descriptions and illustrations contained in the Seller's or manufacture's catalogues, price lists or other promotional material will form part of the contract nor be regarded as a warranty or representation relating to the Goods

### 10. Termination

**10.1** The contract will terminate immediately upon the happening of any one or more of the following , namely , that the Buyer has had a bankruptcy order made against him or has made an arrangement or composition with his creditors or (being a body corporate) has had convened a meeting of creditors (whether formal or informal) or has entered into liquidation (whether voluntary or compulsory) or has a receiver manager administrator or administrative receiver appointed of its undertaking or any part thereof or a resolution has been passed or a petition presented to any Court for the winding -up of the Buyer or for the granting of an administration order in respect of the Buyer or any proceedings have been commenced relating to the insolvency of the Buyer.

**10.2** The contract will terminate immediately upon service of written notice of termination by the Seller on the Buyer if the Buyer has failed to observe or perform any of its obligations or duties under the contract.

### 11. Returned Goods.

If goods have been ordered then subsequently found by the customer to have been incorrectly ordered. The supplier will endeavour to assist the customer by accepting back, where possible items which are listed in their current Price List, however a charge of £30.00 per order will be levied to cover handling & administration. Items which are not in the current Price List are to be treated as "Special Items" and therefor have been manufactured specifically for that Customer and cannot be exchanged for credit.

### 12. Orders

All orders must be in writing. Verbal orders over the telephone will not be actioned until they are confirmed in writing by the Buyer.

### 13. English Law

The formation, interpretation and operation of the contract will be subject to English Law and the Buyer submits himself to the non-exclusive jurisdiction of the English Courts.

\* "Seller":-

#### Jaytec Glass Limited

Jaytec House, Burgess Road, Ivyhouse Industrial Estate, Hastings, East Sussex TN35 4N4, United Kingdom

Telephone: +44(0)1424 424181

Fax: +44(0)1424 721224

Email: [enquiries@jaytecglass.co.uk](mailto:enquiries@jaytecglass.co.uk)

[www.jaytecglass.co.uk](http://www.jaytecglass.co.uk)

### 1. Contract Terms

**1.1** Unless other terms and conditions are expressly accepted by the seller by means of a specific written amendment hereto signed by the Seller the contract will be on the terms and conditions set out below ("the Contract terms") to the exclusion of any terms and conditions (except those implied in favour of a seller which are not inconsistent with the Contract terms) whether or not the same are endorsed upon, delivered with or referred to in any purchase order or other document delivered or sent by the buyer to the Seller.

**1.2** The Uniform Laws on International Sales Act 1967 shall not apply to the contract.

### 2. Quotations

Quotations are valid for 30 days unless otherwise specified on the quotation.

### 3. Delivery

**3.1** The Seller will endeavour to deliver the goods to be supplied under the contract ("the Goods" which expression includes any of them or any part of them) within the time agreed and if no time is agreed within a reasonable time, but in no circumstances will the seller be liable for the loss or damage of any kind whatsoever caused directly or indirectly by any delay in the delivery of Goods.

**3.2** The seller may make delivery by instalments.

**3.3** Goods will be delivered ex the Sellers works and the contract price is calculated on that basis unless otherwise specified on the Sellers quotation. Where the Seller arranges delivery of goods, the Seller will be under no obligation to give the buyer notice as specified in Section 32(3) of the Sale of Goods Act 1979.

**3.4** No claim for damage or shortages will be considered unless the Seller is advised in writing within 10 days of delivery of the Goods. In the absence of such advise the Buyer will be deemed to have accepted the Goods. No claim for non-delivery will be considered unless the Seller is advised in writing within 30 days of the date on the Sellers invoice. Any claim for damage or non-delivery shall also be notified to the carriers by the Buyer in the manner and within the appropriate time limit prescribed by the carriers' terms and conditions. In the event of failure by the Buyer to give the appropriate notices the Buyers claim will be deemed to have been waived and will absolutely barred.

**3.5** All prices quoted exclude the cost of Carriage & Packing which will be charged at cost to the Buyer and will usually be shipped overnight via Carrier (UK mainland only) These figures are Subject to an annual review. If the Customer requests a "special delivery" these will be charged to the customer also at cost. Except where the Seller has agreed in writing not to Charge Carriage or Packing.

**3.6** In the instance where customers arrange to pick up the Goods themselves the Seller reserves to right to levy a nominal charge to cover packaging.

### 4. Guarantee and exclusion clauses

**4.1** Where the Seller is not the manufacturer of the Goods the Seller will endeavour to transfer to the Buyer the benefit of any warranty or guarantee given by the manufacturer.

**4.2** Subject to clause 4.3 unless the Seller has notified the Buyer otherwise, whether in the Seller's catalogue or howsoever, the Seller will repair or at its option replace any Goods which are proved to the reasonable satisfaction of the Seller to be defective in material or workmanship (fair wear and tear excepted), provided such defects are notified to the Seller within 12 months of the date of despatch.

**4.3** The Seller shall free of charge replace or at its option refund the price of any goods which are proved to the reasonable satisfaction of the Seller to be defective. Provided such defects are notified to the seller within 7 days of the date of despatch.

**4.4** The obligations contained in clauses 4.2 & 4.3 will not apply where:-

**4.4.1** the Goods have been altered in any way whatsoever or have been subject to misuse or unauthorised repair; or

**4.4.2** the Goods have been improperly installed or connected (unless the Seller carried out such installation and connection) or

**4.4.3** the Buyer has failed to observe any maintenance relating to the Goods; or

**4.4.4** the Buyer has failed to notify the Seller of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer; or

**4.4.5** the Buyer is in breach of this or any other contract made with the Seller.

Any Goods replaced will belong to the Seller. Any repaired or replacement Goods will be guaranteed on these terms for the unexpired portion of the guarantee period

**4.5** save such clauses 4.1 4.2 4.3 & 4.4 the Seller will be under no liability under the contract for any personal injury, death, loss or damage of any kind whatsoever (other than death or personal injury resulting from the Sellers negligence) whether consequential or otherwise including but not limited to the loss of profits and the Seller hereby excludes all conditions, warranties and stipulations express or implied, statutory, customary or otherwise which but for such exclusion would or might subsist in favour of the buyer except such exclusion will not apply to :-

**4.5.1** Any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass; or

**4.5.2.** When the buyer deals as a consumer (as defined in section 12 of the Unfair Contract Terms Act 1997), any implied term relating to the conformity of the Goods with their description or sample or as to their quality or fitness for particular purpose.

**4.6.** In no circumstances will the Seller or his employees, agents or sub-contractors be liable for any loss or damage of any kind what-

soever (other than death or personal injury resulting from the Seller negligence) whether consequential or otherwise caused directly or indirectly by any negligence or other tortious act or breach of statutory duty on the part of the Seller or on the part of any of his employees, agents or sub-contractors in connection with or arising out of the manufacture or supply of Goods or in connection with any statement given or made (or advice not given or made) by or on behalf of the Seller.

**4.7.** The buyer is responsible for ensuring that Goods returned to the Seller are free from biological and Chemical hazard or contamination. The Seller reserves the right to refuse to accept Goods which in its view present a hazard to its staff or which may infringe the Health and Safety etc. Act or which are without a signed Certificate that effective disinfection or decontamination has been carried out.

### 5. Property of Goods

**5.1** The property (both legal and equitable in the Goods) shall not pass to the Buyer until the purchase price of the Goods have been paid in full, and payment to the Seller of any sum which is at the date of the contract or may thereafter become due or owing from the Buyer to the Seller.

**5.2** Until property in the Goods has passed to the Buyer or until delivery of the Goods to a third party pursuant to the permission given below, the Buyer will hold the Goods in a fiduciary capacity, will not obliterate any identifying mark on the Goods or their packaging and will keep the Goods separate from any other goods.

**5.3** Prior to the property of the Goods passing to the Buyer the Seller permits the Buyer to deliver the Goods to a third party pursuant to a bona fide and arms length agreement to re-sell the Goods and allows the Buyer to convert or incorporate the Goods into or mix the Goods with other goods but such liberty will cease upon the termination of the contract.

**5.4** Where the Seller is unable to determine whether any goods are the Goods the Buyer shall be deemed to have sold all goods of the kind sold by the Seller to the Buyer in the order in which they were invoiced to the Buyer.

**5.5** The Seller may at any time after payment for the Goods has become due take possession of the Goods (which for the avoidance of doubt will include the right to stop the Goods in transit) and remove them and the Buyer shall be deemed to have granted irrevocable authority to the Seller to enter upon the Buyer's premises or other premises where the Goods may be by its employees or agents to take possession of the Goods and (if necessary) to dismantle the Goods from any thing to which they are attached.

**5.6** The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not passed.

## Product Index

---

Average System Measures .....	27	Cassia Flasks .....	22	Microscope Cover Slips.....	40
Babcock Bottles.....	19	Centrifuge Tubes .....	21	Milk & Cream Pipettes .....	18
Beaker Measures .....	30	Conical Measures.....	29	Mojonnier Flasks .....	18
Beakers, Low Form .....	25	Creamline Tubes .....	19	Mojonnier Pipettes.....	18
Bell Measures.....	30	Cylindrical Rain Gauges .....	32	MO Pattern Rain Gauges .....	32
Brewers Mash Flasks .....	24	Dean & Stark Receivers .....	22	Oil Test Glassware .....	21–23
Bulb Pipettes .....	12	Density Bottles.....	23	Optic Measures .....	28
Bulb Pipettes, Class A .....	12	Distillate Receivers.....	21	Pasteur Pipettes .....	36–37
Bulb Pipettes, Class B.....	12	Dropping Funnels .....	16–17	Pharmaceutical Measures .....	29–30
Burettes .....	6–11	Dropping Funnels, Open Top.....	17	Phenol Flasks .....	22
Burettes, Class B, One Way.....	6–7	Dropping Funnels, Type 4 .....	16	Pipettes.....	12–14
Burettes, Class B, Pinch Clip Type.....	8	Dropping Funnels, Graduated .....	16	Rain Gauge Measures .....	32
Burettes, Class A, One Way .....	8	Dropping Pipettes .....	38–39	Reductase Tubes.....	19
Burettes, Class A, Two Way .....	9	Educational Glassware.....	31	Schopper Reigler Jars .....	24
Burettes, Class B, Two Way .....	7	Flasks with Graduated Necks.....	22	Separating Funnels .....	15
Burettes, Class B, with Samco Pinch Clip and Jet .....	8	Funnels with Equalising Side Arms.....	17	Short Form Serological Pipettes.....	14
Burettes, Graduated Stem Only .....	10	Gammon Morgan Cylinders.....	24	Solubility Index Tubes.....	19
Burettes, Class A with all PTFE Stopcock & Key .....	9	Ganongs Respirometers.....	31	Spout Cylinders, .....	3
Burettes, Class B with all PTFE Stopcock & Key .....	9	Gas Measuring Tubes .....	31	Stirring rods .....	25
Burettes, Daffert Type, Auto Zero .....	11	Gas Sampling Tubes .....	26	Stopcocks and Accessories.....	10
Burettes, Dispensing .....	10	Gas Test Burettes .....	25	Stoppered Cylinder, Class B.....	4
Burettes, Sofnol Type, Auto Zero.....	11	Hoffman Voltmeter Apparatus.....	31	Sugar Flasks.....	24
Burettes, Spares.....	11	Hydrometer Jars .....	4	Sulphonation Flasks .....	21
Butyrometers .....	20	Le Chatelier Flask.....	23	Tapered Base Rain Gauges .....	32
Butyrometers and Pipettes, to Irish Standards.....	20	Measuring Cylinders.....	3–4, 29	Thistle Funnels .....	24
Butyrometers, Gerber Type .....	20	Measuring Pipettes, Class A, Types 1 & 2 .....	14	Trading Standards Measures .....	28
Capillary Tubes.....	33–35	Measuring Pipettes, Class B, Types 1, 2, 3 & 4 .....	13	Volumetric Flasks, Amberised .....	6
		Metrology Glassware .....	27–28	Volumetric Flasks, Classes A & B.....	5
		Microscope Slides .....	40	Wash Bottles, Arnold .....	26
		Microscope Cover Circles.....	40	Weighing Funnels.....	20





**Jaytec Glass Limited**  
*Specialists in calibrated scientific glassware*

Jaytec House, Burgess Lane,  
Ivyhouse Lane Industrial Estate,  
Hastings, East Sussex TN35 4NR  
United Kingdom

Tel: +44 (0)1424 424181  
Fax: +44 (0)1424 721224  
Email: [enquiries@jaytecglass.co.uk](mailto:enquiries@jaytecglass.co.uk)

[www.jaytecglass.co.uk](http://www.jaytecglass.co.uk)

Valid from January 2012